

miles. The water pipeline will consist of a steel pipe, which will be buried for most of its length, and associated water tanks.

Summary: This notice is filed, in compliance with State CEQA Guidelines sections 15094, to advise that the County of Inyo's Board of Supervisors, acting in its capacity as a Lead Agency under CEQA, approved the Project at a publicly noticed meeting on May 6, 2009 and made the following determinations:


1. The Project will not have a significant effect on the environment with mitigation.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
3. Findings were made pursuant to the provisions of CEQA.
4. Mitigation measures were made a condition of the approval of the project.
5. A Mitigation Monitoring and Reporting Program was adopted.
6. A statement of overriding considerations was not adopted for the Project.

Although the Environmental Impact Report documented that the Project will not result in any unmitigated potentially significant impacts, the Board of Supervisors did make the findings required by State CEQA Guidelines § 15091.

This is to certify that the documents which comprise the record of proceedings, including but not limited to the Environmental Impact Report, are available to the general public at:

Custodian: Tanda Gretz, Inyo County Senior Planner
Location: County Planning Department
168 N. Edwards Street,
Independence, CA 93526
Phone: (760) 878-0263

May 7, 2009
Date



Mike Conklin
Director, Inyo County Planning Department